



HammondCare

PAIN MANAGEMENT SERVICE

SURNAME:

MRN:

OTHER NAMES:

DOB:

AGE:

Initial Patient Questionnaire

Section 1 – Patient information

Title:

Mr Mrs Ms Miss

Family name (surname):

Given name(s):

Gender: Male Female

Date of birth: __ / __ / ____

Today's date: __ / __ / ____

Residential address:

Street

City/Suburb

Postcode

State

Contact details:

Home phone

Work phone

Mobile

Email

Country of birth:

Australia

New Zealand

Other (please specify)

Do you require an interpreter?

Yes

No

If you answered yes, please specify the language:

Are you hearing or sight impaired?

Yes

No

Do you require help with written or spoken communication?

Yes

No

Height (in cm):

Weight (in kg):

Are you of Aboriginal, Torres Strait Islander or Maori origin? (more than one may be ticked)

No

Yes, Torres Strait Islander

Yes, Aboriginal

Yes, Maori

Is there a compensation case relating to this episode?

Yes No

If yes, record the type of compensation:

Workers compensation

Public liability

Motor vehicle

Other

Which of the following best describes your current work status? (more than one may be ticked)

Full time paid employment

Part time paid employment (... hrs)

Retired

Unemployed due to pain

Unemployed (not pain related)

Home duties

On leave from work due to pain

Studying (e.g. school, uni)

Voluntary work

Retraining

At work – limited hours and/or duties

Does your pain affect the number of hours you are able to work or study?

Yes

No

Does your pain affect the type of work you are able to do?

Yes

No

How did your main pain begin?

Injury at home

After surgery

Related to another illness

Injury at work/school

Motor vehicle crash

No obvious cause

Injury in another setting

Related to cancer

Other

How long has the main pain been present? (tick one box only)

Less than 3 months

12 months to 2 years


More than 5 years

3 to 12 months

2 to 5 years

Section 4 – Pain intensity and interference †

1. On the diagram below, shade in the areas where you feel pain. Put an X on the area that hurts most.



2. Rate your pain by circling the one number that best describes the following: (circle one of the numbers on the scale next to each item, where 0 = No pain, and 10 = Pain as bad as you can imagine)

a) Your pain at its worst in the last week?	0	1	2	3	4	5	6	7	8	9	10
	No pain										Pain as bad as you can imagine
b) Your pain at its least in the last week?	0	1	2	3	4	5	6	7	8	9	10
	No pain										Pain as bad as you can imagine
c) Your pain on average?	0	1	2	3	4	5	6	7	8	9	10
	No pain										Pain as bad as you can imagine
d) How much pain do you have right now?	0	1	2	3	4	5	6	7	8	9	10
	No pain										Pain as bad as you can imagine

3. During the past week, how much has pain interfered with the following: (circle one of the numbers on the scale next to each item, where 0 = Does not interfere, and 10 = Completely interferes)

a) Your general activity?	0	1	2	3	4	5	6	7	8	9	10
	Does not interfere										Completely interferes
b) Your mood?	0	1	2	3	4	5	6	7	8	9	10
	Does not interfere										Completely interferes
c) Your walking ability?	0	1	2	3	4	5	6	7	8	9	10
	Does not interfere										Completely interferes
d) Your normal work (both outside the home and housework)?	0	1	2	3	4	5	6	7	8	9	10
	Does not interfere										Completely interferes

e) Your relations with other people?	0 Does not interfere	1	2	3	4	5	6	7	8	9	10 Completely interferes
f) Your sleep?	0 Does not interfere	1	2	3	4	5	6	7	8	9	10 Completely interferes
g) Your enjoyment of life?	0 Does not interfere	1	2	3	4	5	6	7	8	9	10 Completely interferes


Section 5 – DASS21[#]											
Please read each statement and circle a number 0, 1, 2 or 3 which indicates how much the statement applied to you <i>over the past week</i> . There are no right or wrong answers. Do not spend too much time on any statement.											
<i>The rating scale is as follows:</i>											
0 Did not apply to me at all											
1 Applied to me to some degree, or some of the time											
2 Applied to me to a considerable degree, or a good part of time											
3 Applied to me very much, or most of the time											
1	I found it hard to wind down	0	1	2	3						
2	I was aware of dryness of my mouth	0	1	2	3						
3	I couldn't seem to experience any positive feeling at all	0	1	2	3						
4	I experienced breathing difficulty (e.g. excessively rapid breathing, breathlessness in the absence of physical exertion)	0	1	2	3						
5	I found it difficult to work up the initiative to do things	0	1	2	3						
6	I tended to over-react to situations	0	1	2	3						
7	I experienced trembling (e.g. in the hands)	0	1	2	3						
8	I felt that I was using a lot of nervous energy	0	1	2	3						
9	I was worried about situations in which I might panic and make a fool of myself	0	1	2	3						
10	I felt that I had nothing to look forward to	0	1	2	3						
11	I found myself getting agitated	0	1	2	3						
12	I found it difficult to relax	0	1	2	3						
13	I felt down-hearted and blue	0	1	2	3						
14	I was intolerant of anything that kept me from getting on with what I was doing	0	1	2	3						
15	I felt I was close to panic	0	1	2	3						
16	I was unable to become enthusiastic about anything	0	1	2	3						
17	I felt I wasn't worth much as a person	0	1	2	3						
18	I felt that I was rather touchy	0	1	2	3						
19	I was aware of the action of my heart in the absence of physical exertion (e.g. sense of heart rate increase, heart missing a beat)	0	1	2	3						
20	I felt scared without any good reason	0	1	2	3						
21	I felt that life was meaningless	0	1	2	3						

Section 6 – PSEQ*

Rate how confident you are that you can do the following things **at present** despite the pain. Circle one of the numbers on the scale under each item where 0 = *Not at all confident* and 6 = *Completely confident*. Remember this questionnaire is not asking whether or not you have been doing these things, but rather how confident you are that you can do them at present, **despite the pain**.

1) I can enjoy things, despite the pain	0 Not at all confident	1	2	3	4	5	6 Completely confident
2) I can do most of the household chores (e.g. tidying-up, washing dishes etc.) despite the pain	0 Not at all confident	1	2	3	4	5	6 Completely confident
3) I can socialise with my friends or family members as often as I used to do, despite the pain	0 Not at all confident	1	2	3	4	5	6 Completely confident
4) I can cope with my pain in most situations	0 Not at all confident	1	2	3	4	5	6 Completely confident
5) I can do some form of work, despite the pain ("work" includes housework, paid and unpaid work)	0 Not at all confident	1	2	3	4	5	6 Completely confident
6) I can still do many of the things I enjoy doing, such as hobbies or leisure activity, despite the pain	0 Not at all confident	1	2	3	4	5	6 Completely confident
7) I can cope with my pain without medication	0 Not at all confident	1	2	3	4	5	6 Completely confident
8) I can still accomplish most of my goals in life, despite the pain	0 Not at all confident	1	2	3	4	5	6 Completely confident
9) I can live a normal lifestyle, despite the pain	0 Not at all confident	1	2	3	4	5	6 Completely confident
10) I can gradually become more active, despite the pain	0 Not at all confident	1	2	3	4	5	6 Completely confident

Please continue over



Section 7 – PCS[^]

Everyone experiences painful situations at some point in their lives. Such experiences may include headaches, tooth pain, joint or muscle pain. People are often exposed to situations that may cause pain such as illness, injury, dental procedures or surgery.

We are interested in the types of thoughts and feeling that you have when you are in pain. Listed below are thirteen statements describing different thoughts and feelings that may be associated with pain. Using the scale, please indicate the degree to which you have these thoughts and feelings when you are experiencing pain.

		Not at all	To a slight degree	To a moderate degree	To a great degree	All the time
1	I worry all the time about whether the pain will end	0	1	2	3	4
2	I feel I can't go on	0	1	2	3	4
3	It's terrible and I think it's never going to get any better	0	1	2	3	4
4	It's awful and I feel it overwhelms me	0	1	2	3	4
5	I feel I can't stand it anymore	0	1	2	3	4
6	I become afraid that the pain will get worse	0	1	2	3	4
7	I keep thinking of other painful events	0	1	2	3	4
8	I anxiously want the pain to go away	0	1	2	3	4
9	I can't seem to keep it out of my mind	0	1	2	3	4
10	I keep thinking about how much it hurts	0	1	2	3	4
11	I keep thinking about how badly I want the pain to stop	0	1	2	3	4
12	There's nothing I can do to reduce the intensity of the pain	0	1	2	3	4
13	I wonder whether something serious may happen	0	1	2	3	4

Office use only

Medication	Opioid addiction maintenance program? <input type="checkbox"/> Yes <input type="checkbox"/> No	
	If yes: Number of major drug groups: (exclude opioids)	If no: Number of major drug groups: (whether or not prescribed for pain) Daily oral morphine equivalent: mg Opioid medication > 2 days/week <input type="checkbox"/> Yes <input type="checkbox"/> No
	Note: Major drug groups are: Opioids, Paracetamol, NSAIDs, Antidepressants, Anticonvulsants Benzodiazepines	
Main pain	<input type="checkbox"/> Head (exc face) <input type="checkbox"/> Face/jaw/temple <input type="checkbox"/> Throat/neck <input type="checkbox"/> Shoulder <input type="checkbox"/> Chest <input type="checkbox"/> Upper arm <input type="checkbox"/> Elbow <input type="checkbox"/> Forearm <input type="checkbox"/> Wrist <input type="checkbox"/> Hand <input type="checkbox"/> Abdomen	<input type="checkbox"/> Hip <input type="checkbox"/> Groin/pubic area <input type="checkbox"/> Thigh <input type="checkbox"/> Knee <input type="checkbox"/> Calf <input type="checkbox"/> Ankle <input type="checkbox"/> Foot <input type="checkbox"/> Upper back <input type="checkbox"/> Mid back <input type="checkbox"/> Low back
Other pain	<input type="checkbox"/> Head (exc face) <input type="checkbox"/> Face/jaw/temple <input type="checkbox"/> Throat/neck <input type="checkbox"/> Shoulder <input type="checkbox"/> Chest <input type="checkbox"/> Upper arm <input type="checkbox"/> Elbow <input type="checkbox"/> Forearm <input type="checkbox"/> Wrist <input type="checkbox"/> Hand <input type="checkbox"/> Abdomen	<input type="checkbox"/> Hip <input type="checkbox"/> Groin/pubic area <input type="checkbox"/> Thigh <input type="checkbox"/> Knee <input type="checkbox"/> Calf <input type="checkbox"/> Ankle <input type="checkbox"/> Foot <input type="checkbox"/> Upper back <input type="checkbox"/> Mid back <input type="checkbox"/> Low back

[†] Pain Chart Source: Childhood Arthritis and Rheumatology Research Alliance, www.carragroup.org. von Baeyer CL et al, *Pain Management*, 2011;1(1):61-68.

[†] Brief Pain Inventory severity questions, reproduced with acknowledgment of the Pain Research Group, the University of Texas MD Anderson Cancer Centre

[#] Lovibond SH & Lovibond PF (1995)

^{*} Nicholas MK (1989)

[^] Sullivan MJL (1995)